



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER OF PATENTS AND TRADEMARKS  
Washington, D.C. 20231  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/281,797	03/31/1999	ATSUSHI TESHIMA	0905-0216P	7652

7590 04/09/2002

Birch Stewart Kolasch & Birch  
P O Box 747  
Falls Church, VA 22040-0747

EXAMINER
----------

TRAN, PHILIP B

ART UNIT	PAPER NUMBER
----------	--------------

2155

DATE MAILED: 04/09/2002

6

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.  
09/281,797

Applicant(s)  
Teshima

Examiner  
Philip B. Tran

Art Unit  
2155



-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE three MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136 (a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on Jan 24, 2002
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11; 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 2-4, 6-10, 14-16, and 21-29 is/are pending in the application.
- 4a) Of the above, claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 2-4, 6-10, 14-16, and 21-29 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claims \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are objected to by the Examiner.
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. § 119

- 13) ☐ Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).
- a) ☐ All b) ☐ Some\* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\*See the attached detailed Office action for a list of the certified copies not received.

- 14) ☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).

## Attachment(s)

- 15) ☐ Notice of References Cited (PTO-892)
- 16) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 17) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s). \_\_\_\_\_
- 18) ☐ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 19) ☐ Notice of Informal Patent Application (PTO-152)
- 20) ☐ Other:

***Response to Amendment***

1. This is in response to amendment filed on January 24, 2002 (Paper No. 5).
2. Claims 1, 5, 11-13 and 17-20 have been canceled without prejudice or disclaimer. Claims 2, 6-7, 9-10, 14 and 16 have been amended. New claims 21-29 have been added. Therefore, pending claims 2-4, 6-10, 14-16 and 21-29 are presented for further consideration.

***Response to Arguments***

3. Applicants' arguments have been fully considered but they are not persuasive because of the following reasons :

Applicants argued that the cited prior art ( Flowers, Jr. et al, U.S. Pat. No. 5,533,174) does not teach or suggest the feature of using font preview data to display a representative character. Applicants' arguments are not found persuasive. Flowers clearly teaches a font sharing system in which data can be communicated between a client computer and a server, the client computer comprising means for selecting a font (i.e., the client or the user at the client selects a font from the list) [see Abstract, Col. 8, Lines 54-65 and Col. 9, Line 30 - Col. 10, Line 12], font preview data storage determination means for determining whether font preview data, which is for displaying a representative character having a font selected by the font selecting means, has been stored (i.e., checking property lists and catalogs) [see Col. 3, Lines 17-30 and Col. 4, Line 50 - Col. 5, Line 16 and Col. 12, Lines 13-21], display control means for controlling a display device so as to display, on a display screen, the representative character represented by the font preview data in response to a determination by the font preview data storage determination means that the font preview data has been stored; and means for transmitting to the

server a request to transmit the font preview data in response to a determination by the font preview data storage determination means that the font preview data has not been stored (i.e., printing or displaying font-related information in property lists and catalogs) [see Col. 12, Lines 5-21]. Flowers further teaches the server including font preview data transmitting means for transmitting the font preview data to the client computer in response to the font preview data transmission request transmitted from the client computer (i.e., the server supplies to the client a list of all catalogues and a list of fonts) [see Col. 9, Lines 30-36]. Applicants clearly have failed to explicitly identify specific claim limitations which would define a patentable distinction over prior arts.

The examiner is not trying to teach the invention but is merely trying to teach the claim language in its broadest and reasonable meaning. The examiner will not interpret to read narrowly the claim language to read exactly from the specification, but will interpret the claim language in the broadest reasonable interpretation in view of the specification. Therefore, the examiner asserts that Flowers does teach or suggest the subject matter broadly recited in independent claims. Claims 2-4, 6-10 and 14-16 are also rejected at least by virtue of their dependency on independent claims and by other reasons set forth in the previous office action [see Paper No. 4]. Accordingly, claims 2-4, 6-10, 14-16 and 21-29 are respectfully rejected as below.

***Claim Rejections - 35 USC § 102***

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 2-4, 6-10, 14-16 and 21-29 are rejected under 35 U.S.C § 102(b) as being anticipated by Flowers, Jr. et al (Hereafter, Flowers), U.S. Pat. No. 5,533,174.

Regarding claim 21, Flowers teaches a font sharing system in which data can be communicated between a client computer and a server, the client computer comprising :

means for selecting a font (i.e., the client or the user at the client selects a font from the list) [see Abstract, Col. 8, Lines 54-65 and Col. 9, Line 30 - Col. 10, Line 12];

font preview data storage determination means for determining whether font preview data, which is for displaying a representative character having a font selected by the font selecting means, has been stored (i.e., checking property lists and catalogs) [see Col. 3, Lines 17-30 and Col. 4, Line 50 - Col. 5, Line 16 and Col. 12, Lines 13-21];

display control means for controlling a display device so as to display, on a display screen, the representative character represented by the font preview data in response to a determination by the font preview data storage determination means that the font preview data has been stored; and means for transmitting to the server a request to transmit the font preview data in response to a determination by the font preview data storage determination means that the font preview data has not been stored (i.e., printing or displaying font-related information in property lists and catalogs) [see Col. 12, Lines 5-21]; and

Flowers teaches the server including font preview data transmitting means for transmitting the font preview data to the client computer in response to the font preview data

transmission request transmitted from the client computer (i.e., the server supplies to the client a list of all catalogues and a list of fonts) [see Col. 9, Lines 30-36].

Regarding claim 22, Flowers further teaches the client computer including :

input means for inputting a command determining the font represented by the font preview data (i.e., the client or the user at the client requests font lists, then checks and selects a font from the list) [see Abstract, Col. 3, Lines 17-30 and Col. 4, Line 50 - Col. 5, Line 16 and Col. 8, Lines 54-65 and Col. 9, Line 30 - Col. 10, Line 12 and Col. 12, Lines 13-21];

means for transmitting character specifying data, which specifies a character, and font specifying data, which specifies a font determined by the input means, to the server (i.e., the client supplies information such as font name or printing or display features such as desired letter height, orientation, writing mode, and so forth to the server) [see Abstract and Col. 2, Line 50 - Col. 3, Line 16].

Flowers further teaches the server including :

first character image data storage means storing character image data expressing a character as an image (i.e., font storage 18) [see Figs. 1-2];

receiving means for receiving the character specifying data and the font specifying data transmitted from said client computer (i.e., the font server receive information supplied by the client regarding font name or printing or display features such as desired letter height, orientation, writing mode, and so forth) [see Abstract and Col. 2, Line 50 - Col. 3, Line 16];

retrieval means for retrieving, from said first character image data storage means, character image data expressing a character, which has been specified by the character specifying data received by said receiving means, as an image in such a manner that the specified character will have a font specified by the font specifying data received by said receiving means (i.e., the font server retrieves an appropriate font from storage and prepare the font for use with the current application) [see Col. 3, Lines 17-30];

character image data generating means for generating the character image data in response to a situation where the character image data cannot be found in the first character image data storage means by retrieval performed by the retrieval means (i.e., customizing the font as necessary and rendering outlines and/or bit maps and reformatting the bit maps or outlines) [see Col. 4, Lines 30-34 and Col. 6, Lines 10-16]; and

character image data transmitting means for transmitting, to the client computer, character image data generated by the character image data generating means or character image data found by retrieval by the retrieval means (i.e., the font server supplies the outlines and /or bit maps to the client in a format which is compatible with the client's application software) [see Col. 4, Lines 34-36 and Col. 6, Lines 24-29].

Regarding claim 2, Flowers further teaches means for transmitting, to the server, size designating data representing the size of a character specified by the character specifying data (i.e., the client supplies to the server the information regarding font name or printing or display features such as desired letter height, orientation, writing mode, and so forth) [see Abstract and

Col. 2, Line 50 - Col. 3, Line 16]; and the retrieval means of the server retrieves, from the first character image data storage means, character image data expressing a character, which has been specified by the character specifying data and has a size that has been designated by the size designating data, as an image in such a manner that the specified character will have a font specified by the font specifying data (i.e., the font server retrieves an appropriate font from storage and prepare the font for use with the current application and produces bit maps or outlines, as appropriate, in accordance with specified rendering instruction) [see Col. 3, Lines 17-30 and Col. 4, Lines 30-34 and Col. 11, Lines 30-32].

Regarding claim 3, Flowers further teaches display control means for controlling a display device in such a manner that a frame having the size of a character represented on the basis of the size designating data will be displayed on a display screen (i.e., client prints or displays characters) [see Fig. 3B and Col. 6, Lines 6-23 and Col. 9, Lines 62-65].

Regarding claim 4, Flowers further teaches second character image data storage means for storing character image data expressing a character as an image (i.e., font storage 18) [see Figs. 1-2];

determination means for determining whether character image data expressing a character as an image has been stored in the second character image data storage means, wherein the character has been specified by the character specifying data, has a font that has been specified by



the font specifying data and a size that has been designated by the size designating data (i.e., determining if selected font exists in the font storage) [see Col. 5, Lines 6-16]; and

enlarging/reducing means which, in response to a determination by said determination means to the effect that the character image data has not been stored in the second character image data storage means, is for processing the character image data in such a manner that, of character image data that has been stored in the second character image data storage means, a character image that has been specified by the character specifying data and has a font that has been specified by the font specifying data will be enlarged or reduced so as to take on a size that has been designated by the size designating data (i.e., customizing font by enlarging or eliminating glyph and scaling the glyph shape to a desired size) [see Col. 7, Lines 30-65].

Regarding claim 6, Flowers further teaches the transmitting means of the client computer transmits, to the server, character string specifying data for specifying a combination of a plurality of characters constructing a character string, and font specifying data for specifying fonts of the characters constructing the character string (i.e., the client supplies requested information to the server wherein the information includes ID, fonts and character shapes or character metrics) [see Col. 11, Lines 4-66]; and

the receiving means of the server receives the character string data and the font specifying data transmitted from the transmitting means and the retrieval means of the server retrieves, from the first character image data storage means, character image data expressing characters as images, wherein each of these characters, which construct the character string specified by the

character string data, has a font that has been specified by the font specifying data (i.e., the font server receive information supplied by the client regarding font name or printing or display features such as desired letter height, orientation, writing mode, and so forth and the font server retrieves an appropriate font from the storage and prepare the font for use with the current application) [see Abstract and Col. 2, Line 50 - Col. 3, Line 30]

Regarding claim 7, Flowers further teaches the client includes style data transmitting means for transmitting, to the server, character style designating data for designating style of a character specified by the character specifying data (i.e., the client supplies requested information such as font or character style display feature) [see Col. 1, Lines 13-60 and Col. 2, Line 62 - Col. 3, Line 30]; and

the server includes:

designated character-style retrieval means for retrieving, from the first character image data storage means, designated-style character image data expressing, as an image, a character of a style designated by the character style designating data transmitted from the style data transmitting means (i.e., the font server retrieves an appropriate font from storage and prepare the font for use with the current application) [see Col. 3, Lines 17-30];

designated-style character image data generating means for generating the designated-style character image data in response to a situation where the designated-style character image data is not found by the designated character-style retrieval means (i.e.,

customizing the font as necessary and rendering outlines and/or bit maps and reformatting the bit maps or outlines) [see Col. 4, Lines 30-34 and Col. 6, Lines 10-16]; and

designated-style character image data transmitting means for transmitting, to the client computer, the designated-style character image data generated by the designated-style character image data generating means or the designated-style character image data found by the designated character-style retrieval means (i.e., the font server supplies the outlines and /or bit maps to the client in a format which is compatible with the client's application software) [see Col. 4, Lines 34-36 and Col. 6, Lines 24-29].

Regarding claim 8, Flowers further teaches the server includes style information transmitting means for transmitting, to the client computer, style information for generating the designated-style character image data (i.e., the font server provides a user a list of the catalogues, a list of font families, and so forth to allow the user to select a desired font) [see Col. 3, Lines 17-30 and Col. 8, Lines 35-53]; and

the client computer includes means for generating the designated-style character image data based upon the style information and the character image data transmitted from the style information transmitting means (i.e., client follows the procedures to customize the font, as appropriate, and acquire character metrics and bit maps or outlines needed for printing and display) [see Col. 9, Lines 30-65].

Regarding claim 9, Flowers further teaches the client includes character image data storage means for storing the character image data transmitted from the character image data transmitting means (i.e., storage facilities) [see Col. 5, Line 62 - Col. 6, Line 5].

Regarding claim 10, Flowers further teaches the server includes a printing device (i.e., associated printers 14) [see Figs 1-2]; and means for generating new character image data, from the character image data that has been designated by the character image data generating means, so as to obtain a character image having a resolution suited to the resolution of the printing device (i.e., selecting appropriate font and customizing the font as necessary and supplying the outlines and/or bit maps to the client in a format which is compatible with client) [see Col. 4, Lines 28-46 and Col. 5, Lines 25-61].

Regarding claim 23, Flowers teaches a client computer capable of communicating data with a server (i.e., work station 12 and font server 16) [see Figs. 1-2], comprising :

means for selecting a font (i.e., the client or the user at the client selects a font from the list) [see Abstract, Col. 8, Lines 54-65 and Col. 9, Line 30 - Col. 10, Line 12];

font preview data storage determination means for determining whether font preview data, which is for displaying a representative character having a font selected by the font selecting means, has been stored (i.e., checking property lists and catalogs) [see Col. 3, Lines 17-30 and Col. 4, Line 50 - Col. 5, Line 16 and Col. 12, Lines 13-21];

display control means for controlling a display device so as to display, on a display screen, the representative character represented by the font preview data in response to a determination by the font preview data storage determination means that the font preview data has been stored; and means for transmitting to the server a request to transmit the font preview data in response to a determination by the font preview data storage determination means that the font preview data has not been stored (i.e., printing or displaying font-related information in property lists and catalogs) [see Col. 12, Lines 5-21].

Regarding claim 24, Flowers teaches a server capable of communicating data with a client computer (i.e., font server 16 and work station 12) [see Figs. 1-2], comprising :

storage means for storing font preview data (i.e., font storage 18) [see Figs. 1-2];

receiving means for receiving a request to transmit the font preview data transmitted from the client computer (i.e., the font server receives information supplied by the client regarding font name or printing or display features such as desired letter height, orientation, writing mode, and so forth) [see Abstract and Col. 2, Line 50 - Col. 3, Line 16];

retrieval means for retrieving the font preview data in response to the request received by the receiving means from the storage means (i.e., the font server retrieves an appropriate font from storage and prepare the font for use with the current application) [see Col. 3, Lines 17-30];  
and

transmitting means for transmitting the font preview data found by the retrieval means to the client computer (i.e., the font server supplies the outlines and /or bit maps to the client in a

format which is compatible with the client's application software) [see Col. 4, Lines 34-36 and Col. 6, Lines 24-29 and Col. 9, Line 30 - Col. 10, Line 12].

Claims 25-26 are rejected under the same rationale set forth above to claim 21.

Claims 14-15 are rejected under the same rationale set forth above to claims 2-3, respectively.

Claim 16 is rejected under the same rationale set forth above to claim 6.

Claim 27 is rejected under the same rationale set forth above to claim 24.

Claim 28 is rejected under the same rationale set forth above to claim 23.

Claim 29 is rejected under the same rationale set forth above to claim 24.

### ***Conclusion***

6. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CAR 1.136(a).

A SHORTENED STATUTORY PERIOD FOR REPLY TO THIS FINAL ACTION IS SET TO EXPIRE THREE MONTHS FROM THE MAILING DATE OF THIS ACTION. IN THE EVENT A FIRST REPLY IS FILED WITHIN TWO MONTHS OF THE MAILING DATE OF THIS FINAL ACTION AND THE ADVISORY ACTION IS NOT MAILED UNTIL AFTER THE END OF THE THREE-MONTH SHORTENED STATUTORY PERIOD, THEN THE SHORTENED STATUTORY PERIOD WILL EXPIRE ON THE DATE THE ADVISORY ACTION IS MAILED, AND ANY EXTENSION FEE PURSUANT TO 37 CAR 1.136(A) WILL BE CALCULATED FROM THE MAILING DATE OF THE ADVISORY ACTION. IN NO EVENT, HOWEVER, WILL THE STATUTORY PERIOD FOR REPLY EXPIRE LATER THAN SIX MONTHS FROM THE MAILING DATE OF THIS FINAL ACTION.

Serial Number: 09/281,797  
Art Unit: 2155


Page 14  
Paper No. 6

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Philip Tran whose telephone number is (703) 308-8767. The Group fax phone number is (703) 746-7239.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz R. Sheikh, can be reached on (703) 305-9648.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305-3900.

PBT  
Philip B. Tran  
Art Unit 2155  
Apr 04, 2002

  
AYAZ SHEIKH  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100